

# Wetlands Bureau Decision Report

Decisions Taken  
06/14/2004 to 06/18/2004

## **DISCLAIMER:**

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

## **APPEAL:**

I. Any affected party may ask for reconsideration of a permit decision in accordance with RSA 482-A:10,II within 20 days of the Department's issuance of a decision. Requests for reconsideration should:

- 1) describe in detail each ground for complaint. Only grounds set forth in the request for reconsideration can be considered at subsequent levels of appeal;
- 2) provide new evidence or information to support the requested action;
- 3) Parties other than the applicant, the town, or contiguous abutters must explain why they believe they are affected; and
- 4) Be mailed to the DES Wetlands Bureau, PO Box 95, Concord, NH 03302-0095.

II. An appeal of a decision of the department after reconsideration may be filed with the Wetlands Council in accordance with RSA 482-A:10, IV within 30 days of the department's decision. Filing of the appeal must:

- 1) be made by certified mail to Brian Fowler, Chairperson, Wetlands Council, PO Box 95, Concord, NH 03302-0095 (a copy should also be sent to the DES Wetlands Bureau);
- 2) contain a detailed description of the land involved in the department's decision; and
- 3) set forth every ground upon which it is claimed that the department's decision is unlawful or unreasonable.

## MAJOR IMPACT PROJECT

\*\*\*\*\*

**2003-02580                      PURDY, ROBERT**  
**ALTON   Lake Winnepesaukee**

### Requested Action:

Excavate 210 sqft in the bank to construct a 1120 sqft dug in boat basin consisting of three 4 ft by 25 ft permanent piers in a "W" configuration and dredge 37 cu yd from 885 sqft of lakebed to provide access to the boatbasin, on Lake Winnepesaukee, Alton.

\*\*\*\*\*

### Conservation Commission/Staff Comments:

The Conservation Commiission has numerous concerns

Inspection Date: 05/11/2004 by Dale R Keirstead

### APPROVE PERMIT:

Excavate 210 sqft in the bank to construct a 1120 sqft dug in boat basin consisting of three 4 ft by 25 ft permanent piers in a "W" configuration and dredge 37 cu yd from 885 sqft of lakebed to provide access to the boatbasin, on Lake Winnepesaukee, Alton.

### With Conditions:

1. All work for the dredge shall be in accordance with dredge plans by Watermark Marine Construction dated April 9, 2004, as received by the Department on April 28, 2004 and boat basin plans by Watermark Marine Construction dated May 14, 2004, revision date May 31, 2004, as received by the Department on June 7, 2004.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to construction.
3. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement action or revocation action if the DES later determines that these "existing structures" were not previously permitted or grandfathered.
4. This permit does not allow for any work to the existing breakwater.
5. This permit does not allow for any dredging except for the area identified on the approved plan dated April 9, 2004 as received by the Department on April 28, 2004.
6. Upland areas shall be regraded to original contours following completion of work.
7. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
8. Dredged and excavated material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
9. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
10. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
11. These shall be the only structures on this water frontage and all portions of the structures and shall be at least 20 ft from the abutting property lines or the imaginary extension of those lines into the water.
12. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

### With Findings:

1. This is a major impact project per Administrative Rule Wt 303.02(g), dredge of more than 20 cu yd for public waters.
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. DES Staff conducted a field inspection of the proposed project on May 11, 2004. Field inspection determined the location of the boat basin is in the least impacting location.
5. The public hearing is waived with the finding that the project impacts will not significantly impair the resources of Lake Winnepesaukee.

6. The applicant has addressed all of the local Conservation Commissions concerns.

-Send to Governor and Executive Council-

**2004-00114                      LATHROP, JOHN**  
**ATKINSON   Bryant Brook**

Requested Action:

Dredge and fill approximately 4,791 square feet (103 linear feet) within the bed and banks of Bryant Brook and adjacent forested wetlands to install an 84-inch x 65-foot culvert and construct a roadway to provide access to a 7-lot residential subdivision on approximately 15.6 acres.

\*\*\*\*\*

Conservation Commission/Staff Comments:

In a letter to the DES Wetlands Bureau dated February 6, 2004 the Atkinson Conservation Commission (ConCom) expressed concern with stormwater runoff entering Bryant Brook due to the steepness of the proposed roadway and driveways. The ConCom also expressed concern about the extensive engineering needed to construct the site.

Inspection Date: 04/14/2004 by Christian P Williams

APPROVE PERMIT:

Dredge and fill approximately 4,791 square feet (103 linear feet) within the bed and banks of Bryant Brook and adjacent forested wetlands to install an 84-inch x 65-foot culvert and construct a roadway to provide access to a 7-lot residential subdivision on approximately 15.6 acres.

With Conditions:

1. All work shall be in accordance with the following plans by Engineering Alliance, Inc.:
  - a) the Proposed Grading & Utility Plan (Drawing C-4) dated September 30, 2003 and revised May 27, 2004, as received by the Department on June 15, 2004, with the exception of the Bryant Brook crossing, as correctly depicted in the revised Proposed Stream Crossing Detail received by the Department via facsimile on June 9, 2004;
  - b) the Construction Sequencing Plan and Notes and the Proposed Culvert Detail depicted on the Construction Details (Drawing D-4), dated January 16, 2004 and revised May 27, 2004, as received by the Department on May 28, 2004; and c) the Existing Topography Plan (Drawing C-2) and the Construction Details (Drawing D-2) dated September 30, 2003, as received by the Department on January 20, 2004.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
4. The deed which accompanies the sales transaction for each of the lots in this subdivision shall contain condition #3 of this approval.
5. This permit shall not be effective until it has been recorded with the Registry of Deeds Office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to construction.
6. At least seven days prior to the start of construction the permittee shall notify in writing the NHDES Wetlands Bureau and the Atkinson Conservation Commission of the date project construction is proposed to begin.
7. Work shall be conducted during low flow conditions.
8. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
9. Appropriate erosion and siltation controls shall be installed prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
10. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate work area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
11. Prior to commencing work on a substructure located within surface waters, a temporary cofferdam shall be constructed to isolate the substructure work area from the surface waters.
12. Temporary cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a temporary cofferdam is fully effective, confined work can proceed without restriction.

13. Temporary cofferdams shall be entirely removed immediately following construction.
14. Dredged material not used to backfill the interior of the 84-inch x 65-foot culvert shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
15. Proper headwalls shall be constructed within seven days of culvert installation.
16. Stone aprons shall be installed at culvert outlets to dissipate flow velocities and prevent scour and erosion.
17. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
18. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
19. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
20. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
21. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).

With Findings:

1. The project is categorized as a Major Impact Project, per Administrative Rule Wt 303.02(i), as the project will disturb more than 200 linear feet of a perennial stream and its banks.
2. In a letter to the DES Wetlands Bureau dated February 6, 2004 the Atkinson Conservation Commission (ConCom) expressed concern with stormwater runoff entering Bryant Brook due to the steepness of the proposed roadway and driveways. The ConCom also expressed concern about the extensive engineering needed to construct the site.
3. The Department finds that concerns raised by the Atkinson Conservation Commission, as referenced in finding #2 above, have been sufficiently addressed by the applicant's authorized agent, Engineering Alliance, Inc., in a letter dated May 28, 2004.
4. On April 14, 2004 DES Wetlands Bureau staff conducted a field inspection of the property. During the inspection, DES Wetlands Bureau staff requested that the applicant pursue alternative stream crossing techniques in order to minimize disturbance to the bed and banks of Bryant Brook.
5. Based on the observations made during the above-referenced field inspection and based on review of revised project documentation and plans submitted in response to the recommendations made by DES Wetlands Bureau staff during the inspection, the Department waives the public hearing with the finding that the project will not result in a significant adverse impact to Bryant Brook.
6. Based upon review of revised project plans and drainage calculations by the DES Site Specific Program, the Department finds that the size and slope of the proposed culvert is adequate to maintain peak flow velocities within the stream channel at or near estimated velocities under existing conditions.
7. The need for the proposed jurisdictional impacts has been demonstrated by the applicant per Rule Wt 302.01.
8. The applicant has provided evidence which demonstrates that the proposal is the alternative with the least adverse impact to areas and environments under the Department's jurisdiction, in accordance with Rule Wt 302.03.
9. The applicant has demonstrated by plan and example that each factor listed in Rule Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.

**2004-00670                      FRANKLIN PIERCE COLLEGE**  
**RINDGE   Unnamed Wetland Pearly Lake**

Requested Action:

Impact 46,180 square feet of palustrine forested and emergent wetlands to construct a new athletic field, update an existing field and provide additional parking. Preserve 64.2 acres in a conservation easement consisting of 21 acres of forested upland buffer and 43.2 acres of palustrine and scrub-shrub wetlands as compensatory mitigation.

\*\*\*\*\*

Inspection Date: 05/27/2004 by Jeffrey D Blecharczyk

APPROVE PERMIT:

Impact 46,180 square feet of palustrine forested and emergent wetlands to construct a new athletic field, update an existing field and provide additional parking. Preserve 64.2 acres in a conservation easement consisting of 21 acres of forested upland buffer and 43.2 acres of palustrine and scrub-shrub wetlands as compensatory mitigation.

With Conditions:

1. All work shall be in accordance with plans by TFMoran, Inc. revised June 8, 2004, as received by the Department on June 9, 2004.
2. This permit is contingent on approval by the DES Site Specific Program.
3. At least 48 hours prior to the start of construction, a pre-construction meeting shall be held with NHDES Land Resources Management Program staff at the project site or at the DES Office in Concord, N.H. to review the conditions of this wetlands permit and the NHDES Site Specific Permit. It shall be the responsibility of the permittee to schedule the pre-construction meeting, and the meeting shall be attended by the permittee, his/her professional engineer(s), wetlands scientist(s), and the contractor(s) responsible for performing the work.
4. Work shall be done during low flow.
5. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized.
7. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
8. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
9. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
10. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
11. Silt fencing must be removed once the area is stabilized.
12. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
13. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.

Wetland preservation:

14. This permit is contingent upon the execution of a conservation easement on 64.2 acres as depicted on plans received June 9, 2004, revised June 8, 2004.
15. This permit is contingent upon the increase of the proposed 50 foot upland buffer to 100 feet located in the southwest corner of Lot 10-17 along the Old Kimball Road.
16. The conservation easements to be placed on the preservation areas shall be written to run with the land, and both existing and future property owners shall be subject to this easement.
17. The plan noting the revised upland buffer near Old Kimball Road to be included in the conservation easement parcel with a copy of the final easement language to be recorded at the Registry of Deeds Office for each appropriate lot. A copy of the recording from the County Registry of Deeds Office shall be submitted to the DES Wetlands Bureau by August 30, 2004. DES Wetlands Bureau will consider a written request to extend this date if additional time is needed to complete the easement transaction.
18. The applicant shall prepare a report summarizing existing conditions within the conservation area. Said report shall contain photographic documentation of the easement area, and shall be submitted to the DES and the grantee prior to construction to serve as a baseline for future monitoring of the easement area.
19. The conservation easement area shall be surveyed by a licensed surveyor, and marked by monuments [stakes] prior to construction.
20. The Wetlands Bureau shall be notified of the placement of the easement monuments to coordinate on-site review of their location prior to construction.
21. There shall be no removal of the existing vegetative undergrowth within the easement area and the placement of fill, construction of structures, and storage of vehicles or hazardous materials is prohibited.
22. Activities in contravention of the conservation easement shall be construed as a violation of RSA 482-A, and those activities

shall be subject to the enforcement powers of the Department of Environmental Services (including remediation and fines).

With Findings:

1. This project proposes to impact 46,180 sq ft of nontidal, jurisdictional wetlands and is therefore a major impact project per Administrative Rule Wt 303.02(c), alteration of more than 20,000 sq ft of nontidal wetlands.
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.
5. On May 13, 2004, the NHF&G Department recommended a wildlife and wildlife habitat assessment based on the scale of the project.
6. DES Staff conducted a field inspection of the proposed project on May 27, 2004.
7. The site inspection determined additional clarification was required for the proposed impact areas and mitigation proposal.
8. The applicant proposes to place 64.2 acres of undeveloped lands into a conservation easement.
9. The establishment of an upland buffer requires a 10:1 ratio of upland buffer with a minimum width of 100 ft. The proposed project requires 10.5 acres of upland buffer be established.
10. The proposed easement exceeds the required ratio of 10:1 for upland buffer protection, preserving 21 acres of contiguous upland buffer at a 20:1 ratio.
11. The required 100 ft buffer is not maintained continuously throughout the easement, though potential consideration should be made for future expansion of the proposed easement on Lots 10-17, 10-18 and 9-20.
12. The Department has determined the habitat assessment and proposed mitigation proposal will have a positive benefit for the environment and sufficiently offsets the proposed impacts.
13. The public hearing is waived with the finding that the project impacts will not significantly impair the resources of these wetland ecosystems.

**MINOR IMPACT PROJECT**

\*\*\*\*\*

**2002-00582                      OAK LEAF HOMES LLC**  
**HUDSON   Limit Brook**

Requested Action:

Increase permitted impact by 1,117 square feet, from 4,996 to 6,113 square feet for redesign from a road crossing to a shared culverted driveway crossing, as a result of town-required changes to subdivision which reduces the lot number from 14 to 10.

\*\*\*\*\*

Conservation Commission/Staff Comments:

Con. Com. approved amendment request at town level.

APPROVE AMENDMENT:

Dredge and fill 6,113 sq. ft. of palustrine forested/scrub-shrub wetlands to construct a shared driveway crossing to access two lots in a 10-lot residential subdivision on a 37.496 acre parcel of land.

With Conditions:

1. All work shall be in accordance with plans by Cuoco & Cormier Engineering Associates, Inc. dated October 3, 2003, with soils and wetlands stamps dated 5/18/04, as received by the Department on May 21, 2004.
2. This permit is contingent on approval by the DES Site Specific Program, if required.
3. This permit is contingent on approval by the DES Subsurface Systems Bureau.
4. This permit shall not be effective until it has been recorded with the Rockingham County Registry of Deeds office by the

Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to construction.

5. There shall be no further alteration of wetlands for lot development, driveways, culverts, for septic setback or other construction activities.
6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
8. Proper headwalls shall be constructed within seven days of culvert installation.
9. Culvert outlets shall be properly rip rapped.

With Findings:

1. Reduction in lot density and building coverage adequately offsets the minimal increase in wetlands impact.

**2003-02789                      FORTIN & REDMOND ASSOC**  
**TILTON   Tributary To Winnepesaukee River**

Requested Action:

Dredge and fill a total of 4330 square feet including installation of 6 culverts for the construction of common driveways in the subdivision of 63.2 acres into 5 single family residential lots.

\*\*\*\*\*

Conservation Commission/Staff Comments:

The conservation commission has no objections to this permit request.

APPROVE PERMIT:

Dredge and fill a total of 4330 square feet including installation of 6 culverts for the construction of common driveways in the subdivision of 63.2 acres into 5 single family residential lots.

With Conditions:

1. All work shall be in accordance with plans by Thaddeus Thorne Surveys dated March 4, 2003, and revised through March 24, 2004 as received by the Department on May 25, 2004.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
4. The deed which accompanies the sales transaction for each of the lots in this subdivision shall contain condition #3 of this approval.
5. This permit shall not be effective until it has been recorded with the Registry of Deeds Office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau.
6. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
7. Work shall be done during low flow.
8. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized.
9. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
10. Proper headwalls shall be constructed within seven days of culvert installation.
11. Culvert outlets shall be protected in accordance with the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
12. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
13. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
14. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized

within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.

15. Silt fencing must be removed once the area is stabilized.

16. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).

With Findings:

1. This is a minor impact project per Administrative Rule Wt 303.03(h), projects involving less than 20,000 square feet of alteration in the aggregate in nontidal wetlands, nontidal surface waters, or banks adjacent to nontidal surface waters which exceed the criteria of Wt 303.04(f).
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

**2004-00136                      NAGLE, LORWEN**  
**CONCORD   Unnamed Wetland**

Requested Action:

Fill 4267 square feet of man made wetland for the purpose of lot development.

\*\*\*\*\*

Conservation Commission/Staff Comments:

The conservation commission did not comment on this application.

APPROVE PERMIT:

Fill 4267 square feet of man made wetland for the purpose of lot development.

With Conditions:

1. All work shall be in accordance with plans by Burd Engineering Inc dated October 19, 2001 and revised through October 28, 2003, as received by the Department on January 26, 2004.
2. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
3. Work shall be done during low flow.
4. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
6. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).

With Findings:

1. This is a minor impact project per Administrative Rule Wt 303.03(h), projects involving less than 20,000 square feet of alteration in the aggregate in nontidal wetlands.
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. DES Staff conducted a field inspection of the proposed project on May 26, 2004. Field inspection determined the wetlands are indeed man made and are marginally wet. These wetlands are isolated and do not serve any functions or values.



6. The wetland scientist supplied a function and value evaluation which stated these wetlands have little value and does not have characteristics to perform functions.

**2004-00374 VALLEY STREAM ESTATES, INC.**  
**MOULTONBOROUGH Lake Winnepesaukee**

Requested Action:

Abutter requests reconsideration of the departments approval based on the lack of (1) previously existing dock.

\*\*\*\*\*

Conservation Commission/Staff Comments:

Con. Com. did not comment on project.

DENY RECONSIDERATION:

Permanently remove an existing 2 ft 8 in x 32 ft seasonal dock and an existing 4 ft x 48 ft seasonal dock, and replace with (2) 6 ft x 40 ft seasonal docks, spaced 12 feet apart, adjacent to an existing 46 linear ft jetty on an average of 200 ft of frontage on Moultonborough Neck, Lake Winnepesaukee.

With Findings:

Standards for Reconsideration

1. In accordance with RSA 482-A:10,II, "request for reconsideration shall be filed with the department within 20 days of the issuance of the department's decision or order."

Findings of Fact

2. The department issued a permit for two 6 ft by 40 ft seasonal docks, totalling three boat slips on April 27, 2004. These structures meet the requirements under RSA 482-A and the current Wetlands Program Code of Administrative Rules.  
3. The Appellant submitted a request for reconsideration on May 26, 2004, nine days after the statutory deadline for the filing of an appeal.

Rulings in Support of the Decision

4. The Appellant has failed to submit a request for reconsideration within 20 days as required in accordance with RSA 482-A, and therefore the approval of the applicant's two 6 ft by 40 ft docks is upheld.

**2004-00419 HIGSON, EVERETT**  
**ALTON Lake Winnepesaukee**

Requested Action:

Permanently remove an existing 21 ft x 10 ft open-sided boathouse connected to a 9 ft 6 in x 20 ft full crib dock and a 4 ft x 24 ft 6 in full crib dock, and replace with a 6 ft x 27 ft crib supported dock and a 6 ft x 24 ft crib supported dock, install a 14 ft x 21 ft canopy and a 3-piling ice cluster on an average of 103 ft of frontage on Alton Bay, Lake Winnepesaukee.

\*\*\*\*\*

Conservation Commission/Staff Comments:

Con. Com. recommended denial. They think by moving the structure, it will no longer qualify as grandfathered.

APPROVE PERMIT:

Permanently remove an existing 21 ft x 10 ft open-sided boathouse connected to a 9 ft 6 in x 20 ft full crib dock and a 4 ft x 24 ft 6 in full crib dock, and replace with a 6 ft x 27 ft crib supported dock and a 6 ft x 24 ft crib supported dock, install a 14 ft x 21 ft canopy and a 3-piling ice cluster on an average of 103 ft of frontage on Alton Bay, Lake Winnepesaukee.

With Conditions:

1. All work shall be in accordance with plans by Lakeshore Construction of Wolfeboro, Inc. revised on May 14, 2004, as received by the Department on May 18, 2004.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to construction.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.
5. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
7. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.
8. Canopies shall be of seasonal construction type with a flexible fabric cover which shall be removed for the non-boating season.
9. The maximum size of cribs shall not exceed 6 feet long by 6 feet wide and of such height as necessary to support the docking structure above the water level. Variance to this condition may be sought if water depth is greater than 6 feet.
10. Crib material shall be timber, concrete, or other material approved by the Department of Environmental Services, and of such size and spacing as necessary to completely contain the ballast.
11. The minimum clear spacing between cribs shall be 12 feet.
12. These shall be the only structures on this water frontage and all portions of the dock shall be at least 20 ft from the abutting property lines or the imaginary extension of those lines into the water.
13. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This is a minor impact project per Administrative Rule Wt 303.03(d), modification of a 3-slip docking facility.
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant proposes to bring the existing structure closer to conformity under RSA 482-A and Rule Wt 400.
6. The Conservation Commission recommended denial because of the proposed modification.
7. The proposed modification will make the existing structure more nearly conforming to the intent of RSA 482-A, and therefore will satisfy Rule Wt 402.22, Modification of Existing Structures, as the department finds the modification to be less of an environmental impact.

**2004-00427                      KDRM LLC**  
**HAMPSTEAD   Unnamed Wetland**

Requested Action:

Fill approximately 9,810 square feet within forested wetlands and within the bed and banks of an unnamed intermittent stream to construct a roadway and extend an existing roadway to provide access to an elderly housing development consisting of 29 four-unit buildings on approximately 90 acres.

\*\*\*\*\*

Conservation Commission/Staff Comments:

In a letter to the DES Wetlands Bureau dated March 30, 2004 the Hampstead Conservation Commission raised the following concerns/issues: 1) the capacity for the two existing wellheads to service an additional 116 units, and the recharge capacity of the wells; 2) the affect of salt and chemical runoff from the development to wetlands; 3) the magnitude of the wetlands on the parcel, and the overall potential impacts to the wetlands; and 4) the impact to aquifers.

APPROVE PERMIT:

Fill approximately 9,810 square feet within forested wetlands and within the bed and banks of an unnamed intermittent stream to construct a roadway and extend an existing roadway to provide access to an elderly housing development consisting of 29 four-unit buildings on approximately 90 acres.

With Conditions:

1. All work shall be in accordance with the following plans by Cornerstone Survey Associates received by the Department on June 1, 2004:
  - a) the Lot Line Adjustment Plan (Sheets 2 - 4 of 28) dated October 2003 and revised April 5, 2004;
  - b) the Grading Plan (Sheets 6 - 10 of 28) and the Roadway Plan & Profile (Sheets 17 - 21 of 28) dated October 2003 and revised May 13, 2004; and
  - c) the Construction Details (Sheets 25 & 26 of 28) and the Existing Conditions Plan (Sheet 1 of 1) dated October 2003.
2. This permit is contingent on approval by the DES Site Specific Program.
3. This permit is contingent on approval by the DES Subsurface Systems Bureau.
4. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B.
5. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
6. At least 48 hours prior to the start of construction, a pre-construction meeting shall be held with NHDES Land Resources Management Program staff at the project site or at the DES Office in Concord, N.H. to review the conditions of this wetlands permit and the NHDES Site Specific Permit. It shall be the responsibility of the permittee to schedule the pre-construction meeting, and the meeting shall be attended by the permittee, his/her professional engineer(s), wetlands scientist(s), and the contractor(s) responsible for performing the work.
7. At least seven days prior to the start of construction the permittee shall notify in writing the NHDES Wetlands Bureau and the Hampstead Conservation Commission of the date project construction is proposed to begin.
8. Work shall be conducted during low flow conditions.
9. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
10. Appropriate erosion, siltation and turbidity controls shall be installed prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
11. Prior to commencing work on a substructure located within surface waters, a temporary cofferdam shall be constructed to isolate the substructure work area from the surface waters.
12. Temporary cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a temporary cofferdam is fully effective, confined work can proceed without restriction.
13. Temporary cofferdams shall be entirely removed immediately following construction.
14. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
15. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
16. Proper headwalls shall be constructed within seven days of culvert installation.
17. Stone aprons shall be installed at culvert outlets, where appropriate, to dissipate flow velocities and prevent scour and erosion.
18. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
19. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
20. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
21. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
22. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).

With Findings:

1. The project is categorized as a Minor Impact Project, per Administrative Rule Wt 303.03(h), as the project involves less than

20,000 square feet of alteration in nontidal wetlands and surface waters.

2. In a letter to the DES Wetlands Bureau dated March 30, 2004 the Hampstead Conservation Commission raised the following concerns/issues: a) the capacity for the two existing wellheads to service an additional 116 units, and the recharge capacity of the wells; b) the affect of salt and chemical runoff from the development to wetlands; c) the magnitude of the wetlands on the parcel, and the overall potential impacts to the wetlands; and d) the impact to aquifers.
3. The Department finds that the concerns/issues raised by the Hampstead Conservation Commission, as referenced in finding #2 above, have been adequately addressed by the applicant's authorized agent, Cornerstone Survey Associates Inc., in a letter to the DES Wetlands Bureau dated May 20, 2004.
4. The Department finds that a complete technical review of site drainage issues, including stormwater analyses for quality and quantity of stormwater runoff, has been conducted by the DES Site Specific Program. This includes, but is not limited to, review of: methods to control peak stormwater discharge rates; construction erosion controls; and methods for treatment of stormwater runoff from impervious surfaces. Issuance of DES Site Specific Permit WPS 6802 on June 7, 2004 is indicative that all requirements of Env-Ws 415 have been satisfied.
5. The need for the proposed jurisdictional impacts has been demonstrated by the applicant per Rule Wt 302.01.
6. The applicant has provided evidence which demonstrates that the proposal is the alternative with the least adverse impact to areas and environments under the Department's jurisdiction, in accordance with Rule Wt 302.03.
7. The applicant has demonstrated by plan and example that each factor listed in Rule Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.

**2004-00497                      RABENIUS, PAUL**  
**TUFTONBORO   Lake Winnepesaukee**

Requested Action:

Permanently remove a 6 ft x 30 ft crib dock and replace with a 6 ft x 40 ft seasonal dock accessed by a 4 ft x 15 ft walkway on an average of 92 ft of frontage on Cow Island, Lake Winnepesaukee.

\*\*\*\*\*

Conservation Commission/Staff Comments:

Con. Com. was concerned about sedimentation in the lake and the property line extension over the water.

APPROVE PERMIT:

Permanently remove a 6 ft x 30 ft crib dock and replace with a 6 ft x 40 ft seasonal dock accessed by a 4 ft x 15 ft walkway on an average of 92 ft of frontage on Cow Island, Lake Winnepesaukee.

With Conditions:

1. All work shall be in accordance with plans by Paul Rabenius revised June 10, 2004, as received by the Department on June 14, 2004.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to construction.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.
5. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
7. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.
8. Seasonal pier shall be removed from the lake for the non-boating season.
9. No portion of the pier shall extend more than 40 feet from the shoreline at full lake elevation.
10. These shall be the only structures on this water frontage.
11. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This is a minor impact project per Administrative Rule Wt 303.03(d), installation of seasonal dock.
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

**2004-00575                      NEMSER, MICHAEL & LYNN**  
**ALTON   Lake Winnepesaukee**

Requested Action:

Install two 6 ft x 3 ft concrete pads to anchor two 6 ft x 30 ft seasonal docks connected by a 6 ft x 25 ft walkway on an average of 197.5 shoreline frontage on Lake Winnepesaukee.

\*\*\*\*\*

APPROVE PERMIT:

Install two 6 ft x 3 ft concrete pads to anchor two 6 ft x 30 ft seasonal docks connected by a 6 ft x 25 ft walkway on an average of 197.5 shoreline frontage on Lake Winnepesaukee.

With Conditions:

1. All work shall be in accordance with plans by Lakeshore Construction, dated June 1, 2004, and received by the Department on June 4, 2004.
2. This permit shall not be effective until it has been recorded with the Registry of Deeds Office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to installation.
3. These shall be the only structures on this water frontage and all portions of the structures shall be at least 20 ft from abutting property lines or the imaginary extension of those lines into the water.
4. Seasonal piers shall be removed from the lake for the non-boating season.
5. No portion of the piers shall extend more than 30 feet from the shoreline at the normal high water mark.
6. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This is a minor impact project per Administrative Rule Wt 303.03(d), construction of a 3-slip docking system.
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

**2004-01043                      HUGHS LAKE REALTY LLC**  
**MOULTONBOROUGH   Lake Winnepesaukee**

Requested Action:

Construct three 6 ft x 5 ft cribs to support a 6 ft x 35 ft pier on 108 ft of frontage on Moultonborough Neck, Lake Winnepesaukee.

\*\*\*\*\*

APPROVE PERMIT:

Construct three 6 ft x 5 ft cribs to support a 6 ft x 35 ft pier on 108 ft of frontage on Moultonborough Neck, Lake Winnepesaukee.

With Conditions:

1. All work shall be in accordance with plans by Winnepesaukee Marine Construction dated May 12, 2004, as received by the Department on May 24, 2004.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to construction.
3. This shall be the only structure on this water frontage and all portions of the structure shall be at least 20 ft from abutting property lines or the imaginary extension of those lines into the water.
4. No portion of the pier shall extend more than 35 feet from the shoreline at full lake elevation.
5. The maximum size of cribs shall not exceed 5 feet long by 6 feet wide and of such height as necessary to support the docking structure above the water level. Variance to this condition may be sought if water depth is greater than 6 feet.
6. Crib material shall be timber, concrete, or other material approved by the Department of Environmental Services, and of such size and spacing as necessary to completely contain the ballast.
7. The minimum clear spacing between cribs shall be 12 feet.
8. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
9. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This project is classified as a minor impact project per Rule Wt 303.03(d), construction of a 2-slip permanent pier.
2. The applicant has submitted evidence of insufficient water depth to support the need for an exception to the standard length per Rule Wt 402.02.

**MINIMUM IMPACT PROJECT**

\*\*\*\*\*

**2004-00503                      JOY FONDA, JO ANN**  
**AMHERST   Baboosic Lake**

Requested Action:

Install a temporary cofferdam in order to replace an existing 12 ft 5 in x 22 ft 4 in boathouse and foundation, regrade a 12 ft x 20 ft 5 in area behind the boathouse and a 4 ft x 22 ft 4 in area along either side of the boathouse, and install a 3 ft 6 in x 20 ft 5 in rock retaining wall set 12 ft back behind the boathouse.

\*\*\*\*\*

Conservation Commission/Staff Comments:

No ConComm signature.

APPROVE PERMIT:

Install a temporary cofferdam in order to replace an existing 12 ft 5 in x 22 ft 4 in boathouse and foundation, regrade a 12 ft x 20 ft 5 in area behind the boathouse and a 4 ft x 22 ft 4 in area along either side of the boathouse, and install a 3 ft 6 in x 20 ft 5 in rock retaining wall set 12 ft back behind the boathouse.

With Conditions:

1. All work shall be in accordance with plans as received by the Department on May 18, 2004, June 10, 2004, and June 11, 2004.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to construction.
3. The owner shall file a restrictive covenant in the appropriate registry of deeds limiting the use of the boathouse to the storage of boats and boating-related accessories. A copy of the recorded covenant permit shall be submitted to the DES Wetlands Bureau prior to construction.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.

5. The temporary cofferdam shall be designed and supervised by a professional engineer.
6. This permit does not allow for any maintenance dredging except for dredging directly related to the replacement of the foundation.
7. All construction related material and debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
8. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
9. Work shall be carried out in a time and manner such that there will be no disturbance to migratory waterfowl breeding areas or fish spawning areas.
10. Repairs shall maintain existing exterior footprint and location.
11. The only change in exterior dimensions of the boathouse shall be a 5 ft increase in height.
12. The boathouse shall be a single-story structure; ridgeline not to exceed approximately 16.5 ft in height above the mean high water mark.
13. These shall be the only structures on this water frontage.
14. All exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching.
15. Repairs to these structures may be conducted, as necessary, throughout the duration of this permit provided that the permittee notifies the Wetlands Bureau and Conservation Commission, in writing, of the proposed start and completion date prior to performing any repair.
16. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if it later determines that any "existing structures" were not previously permitted or grandfathered in their current configuration.
17. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
18. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This is a minimum impact project per Administrative Rule Wt 303.04(n), projects that disturb less than 50 linear feet along the shoreline and Administrative Rule Wt 303.04(0), deemed by the department as minimum as all work will be done "in the dry".
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

**2004-00577                      PROCTOR TRUST, CHARLES**  
**LYNDEBOROUGH   Unnamed Stream**

Requested Action:

Install a 20" culvert in Cold Brook on a Class VI road known as Richardson Road to provide access for forestry management practices

\*\*\*\*\*

APPROVE PERMIT:

Install a 20" culvert in Cold Brook on a Class VI road known as Richardson Road to provide access for forestry management practices

With Conditions:

1. All work shall be in accordance with plans by the applicant dated March 16, 2004, as received by the Department on April 7, 2004.
2. Access shall not be used for subdivision, development, or other land conversion to non-forestry uses.
3. Work shall be done during low flow.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Proper headwalls shall be constructed within seven days of culvert installation.
6. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
7. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.

With Findings:

1. This is a minimum impact project per Administrative Rule Wt 303.04(g), installation of a culvert and associated fill to provide access for forestry management practices.
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. On June 17, 2004, the Department received a letter from the Town of Lyndeborough, dated June 15, 2004, granting permission for the applicant to install the requested culvert.

**2004-00617                      VALLANCE, ROBERT & MARY**  
**NORTHWOOD   Northwood Lake**

Requested Action:

Repair and replace 39 linear ft of existing retaining wall and add 6 linear ft of additional wall for bank stability on an average of 62 ft of frontage on Northwood Lake, Northwood.

\*\*\*\*\*

Conservation Commission/Staff Comments:

Con. Com. did not comment on project.

APPROVE PERMIT:

Repair and replace 39 linear ft of existing retaining wall and add 6 linear ft of additional wall for bank stability on an average of 62 ft of frontage on Northwood Lake, Northwood.

With Conditions:

1. All work shall be in accordance with plans by Fernstone Associates dated March 5, 2004, as received by the Department on April 9, 2004.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to construction.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.
5. All removed material and construction debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau prior to new construction.
6. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
7. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be



avoided.

8. Repair shall maintain existing size, location and configuration.

9. Retaining wall shall be constructed landward of the shoreline defined by the elevation of normal high water so as not to create land in public water.

10. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement action or revocation action if the DES later determines that these "existing structures" were not previously permitted or grandfathered.

11. Work shall be done during drawdown.

12. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This project is classified as a minimum impact project per Rule Wt 303.04(v), repair of existing structures with no change in size, location or configuration.

**2004-00671                      HOLBROOK, FREDRICK  
MOULTONBOROUGH   Lake Winnepesaukee**

Requested Action:

Place mahogany decking over an existing 15 ft x 55 ft concrete/stone dock on a property having 172 linear feet of shoreline frontage on Lake Winnepesaukee.

\*\*\*\*\*

Conservation Commission/Staff Comments:

ConComm report recommends "no work to be done on cement. Repair decking only".

APPROVE PERMIT:

Place mahogany decking over an existing 15 ft x 55 ft concrete/stone dock on a property having 172 linear feet of shoreline frontage on Lake Winnepesaukee.

With Conditions:

1. All work shall be in accordance with plans as received by the Department on April 19, 2004.

2. This permit shall not be effective until it has been recorded with the county Registry of Deeds office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to construction.

3. No work is permitted which would allow any discharge into the waterbody or disturb the bank.

4. This permit does not allow for maintenance dredging.

5. There shall be no work done in the water.

6. Work shall be carried out in a time and manner such that there will be no disturbance to migratory waterfowl breeding areas or fish spawning areas.

7. Repairs/modifications shall be limited to the surface of the pier and shall not alter the length or the width of the existing pier.

8. All construction related material and debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.

9. This permit to repair/modify an existing structures shall not preclude the DES from taking any enforcement action or revocation action if it later determines that any "existing structures" were not previously permitted or grandfathered in their current configuration.

10. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This is a minor impact project per Administrative Rule Wt 303.03(d), modification of a permanent pier providing less than 5 slips.

2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.

3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.

4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

**2004-00816                      KOKKINOS, GEORGE & BECKY**  
**MANCHESTER   Unnamed Wetland**

Requested Action:

Dredge and fill a total of 885 square feet of forested wetlands and install a 24" x 48' culvert to cross an intermittent stream for 2 driveways to 2 lots in a 3 lot subdivision on 2 acres.

\*\*\*\*\*

Conservation Commission/Staff Comments:

Did not report.

Inspection Date: 05/19/2004 by Dori A Wiggin

APPROVE PERMIT:

Dredge and fill a total of 885 square feet of forested wetlands and install a 24" x 48' culvert to cross an intermittent stream for 2 driveways to 2 lots in a 3 lot subdivision on 2 acres.

With Conditions:

1. All work shall be in accordance with plans by David M. O'Hara and Associates dated April 28, 2004, as received by the Department on May 5, 2004.
2. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
3. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.

**2004-00854                      FREE, LEO**  
**WINCHESTER   Unnamed Wetland**

Requested Action:

Impact approximately 1,620 square feet of palustrine forested wetlands and install a 36" x 18' culvert to cross a stream to provide access to a single family residence

\*\*\*\*\*

APPROVE PERMIT:

Impact approximately 1,620 square feet of palustrine forested wetlands and install a 36" x 18' culvert to cross a stream to provide access to a single family residence

With Conditions:

1. All work shall be in accordance with plans by the applicant, as received by the Department on May 7, 2004.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No fill shall be done to achieve septic setback and no dredging shall take place that would contradict the DES Subsurface Systems Bureau rules.
4. No fill shall be done for lot development.
5. Work shall be done during low flow.
6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
8. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.

With Findings:

1. This is a minimum impact project per Administrative Rule Wt 303.04(z), installation of a culvert and associated fill to provide access for a single family residence.
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

**2004-01188                      SULLIVAN, JOHN**  
**MOULTONBOROUGH   Lake Winnepesaukee**

Requested Action:

Construct a 6 ft x 115 ft boardwalk across wetlands to access the shoreline, retain a well with existing water line, and extend the existing water line 40 ft thru an unnamed wetland in Moultonborough, Lake Winnepesaukee.

\*\*\*\*\*

Conservation Commission/Staff Comments:

The conservation commission did not comment on this application.

APPROVE PERMIT:

Construct a 6 ft x 115 ft boardwalk across wetlands to access the shoreline, retain a well with existing water line, and extend the existing water line 40 ft thru an unnamed wetland in Moultonborough, Lake Winnepesaukee.

With Conditions:

1. All work shall be in accordance with plans by Wetland Consulting Service revised November 7, 2003, as received by the Department on June 3, 2004.
2. This permit is contingent on the implementation of the approved restoration plans.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
4. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.
5. Deck board spacing on the boardwalk shall have a minimum of 3/4 of an inch to provide light for vegetative growth below the boardwalk.
6. The board walk shall be a minimum of 2 feet high to promote vegetative growth below.
7. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
8. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
9. All removed material and construction debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
10. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
11. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.
12. No fill shall be done for lot development.
13. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This is a minimum impact project per Administrative Rule Wt 303.04(f), projects involving less than 3000 square feet of impact in wetlands.

2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

## FORESTRY NOTIFICATION

\*\*\*\*\*

**2004-01024                      NEW FORESTRY, LLC, C/O LANDVEST**  
**NEWBURY   Unnamed Stream**

COMPLETE NOTIFICATION:  
Newbury Tax Map 12, Lot# 478,388

**2004-01036                      VERBRUGGE, MARIE**  
**HANCOCK   Unnamed Stream**

COMPLETE NOTIFICATION:  
Hancock Tax Map 15, Lot# 20A

**2004-01100                      ANDOVER THOMPSON LLC**  
**ANDOVER   Unnamed Stream**

COMPLETE NOTIFICATION:  
Andover Tax Map 9, Lot# 547,088

**2004-01101                      WOETZEL, DAVID**  
**BOW   Unnamed Stream**

COMPLETE NOTIFICATION:  
Bow Tax Map 3, lot# 30H

**2004-01102                      DIPERSIO, LINDA**  
**DEERFIELD   Unnamed Stream**

COMPLETE NOTIFICATION:  
Deerfield Tax Map 406, Lot# 31

**2004-01103                      CHOCORUA FORESTLANDS**  
**MOULTONBOROUGH   Unnamed Stream**

COMPLETE NOTIFICATION:  
Moultonboro Tax map 97, Lot# 1, 3 & 5

**2004-01104                      CHOCORUA FORESTLANDS**  
**TUFTONBORO   Unnamed Stream**

COMPLETE NOTIFICATION:  
Tuftonboro Tax Map 20, Lot# 2

**2004-01105                      MEADOWSEND TIMBERLANDS LTD**  
**DEERING   Unnamed Stream**

COMPLETE NOTIFICATION:  
Deering Tax Map 24, Lot# 5

**2004-01106                      BOODEY, PHILIP**  
**BARRINGTON   Unnamed Stream**

COMPLETE NOTIFICATION:  
Barrington Tax Map 4, Lot# 29

**2004-01107                      BAYROOT LLC, C/O WAGNER FOREST MGMT**  
**ATK GIL GRANT   Unnamed Stream**

COMPLETE NOTIFICATION:  
Atkinson & Gilmaton Academy Grant Tax 1628, Lot# 2

**2004-01108                      CERSOSIMO LUMBER COMPANY INC**  
**EFFINGHAM   Unnamed Stream**

COMPLETE NOTIFICATION:  
Effingham Tax Map 13, Lot# 18

**2004-01109                      GREEN ACRES WOODLANDS, INC, ROBERT BERTI - FORECO**  
**PIERMONT   Unnamed Stream**

COMPLETE NOTIFICATION:  
Piermont Tax Map R19, Lot# 7

**2004-01110                      UNITIL SERVICE CORP, SCOTT SHEPARD**  
**CONCORD   Unnamed Stream**

COMPLETE NOTIFICATION:  
Concord Tax Map 121, Lot# 1-3

**2004-01111                      KELLNER, RUSSELL & AMY**  
**HOLLIS   Unnamed Stream**

COMPLETE NOTIFICATION:  
Hollis Tax Map 35, Lot# 1

**2004-01112 SAVOY, DALE & JEN  
WEARE Unnamed Stream**

COMPLETE NOTIFICATION:  
Weare Tax Map 409, Lot# 161

**2004-01114 TROY HILL HOLDINGS LLC  
SWANZEY Unnamed Stream**

COMPLETE NOTIFICATION:  
Swanzy Tax Map / Lot# 10 / 5,6,7,8& 9  
11 / 5,12 & 13

**2004-01115 TROY HILL HOLDINGS LLC  
TROY Unnamed Stream**

COMPLETE NOTIFICATION:  
Troy Tax Map 35 & 36, Lot# 1 & 6

**2004-01135 BLAISDELL, ROSCOE  
DEERFIELD Unnamed Stream**

COMPLETE NOTIFICATION:  
Deerfield Tax Map 418, Lot# 4

**2004-01136 KINGS ARROW TRUST  
RANDOLPH Unnamed Stream**

COMPLETE NOTIFICATION:  
Randolph Tax Map R15, Lot# 22

**2004-01137 KINGS ARROW TRUST  
STRATFORD Unnamed Stream**

COMPLETE NOTIFICATION:  
Stratford Tax Map R15, Lot# 4

**2004-01138 BERKACH GROUP REALTY TRUST  
GILSUM Unnamed Stream**

COMPLETE NOTIFICATION:

Gilsum Tax Map 406, Lot# 70.1

**2004-01139                      WHITE MTN NATIONAL FOREST  
MARTINS LOCATION   Unnamed Stream**

COMPLETE NOTIFICATION:

Martins Location Tax Map 1608, Lot# 1

**2004-01140                      WHITE MTN NATIONAL FOREST  
BEANS PURCHASE   Unnamed Stream**

COMPLETE NOTIFICATION:

Beans Purchase Tax Map 1608, Lot# 4

**2004-01141                      WHITE MTN NATIONAL FOREST  
GORHAM   Unnamed Stream**

COMPLETE NOTIFICATION:

Gorham Tax map R1, Lot# 1

**2004-01151                      WEBSTER LAND CORP  
SANDWICH   Unnamed Stream**

COMPLETE NOTIFICATION:

Sandwich Tax Map B22 & R21, Lot# 15 & 2

**2004-01152                      BAYROOT LLC, MOXIE TREE FARM  
JEFFERSON   Unnamed Stream**

COMPLETE NOTIFICATION:

Jefferson Tax Map 18, Lot# 12

**2004-01153                      LYME HOLDINGS INC  
WENTWORTH   Unnamed Stream**

COMPLETE NOTIFICATION:

Wentworth Tax Map 7, Lot# 3-14

**2004-01155                      DOWNING, RUSSELL & LESLIE  
HARRISVILLE   Unnamed Stream**

COMPLETE NOTIFICATION:

Harrisville Tax Map 60, Lot# 60-1

**2004-01156                      DOWNING, RUSSELL & LESLIE**  
**NELSON   Unnamed Stream**

COMPLETE NOTIFICATION:  
Nelson Tax map 2, Lot# 3

**2004-01157                      SARGENT, SHIRLEY**  
**CENTER STRAFFORD   Unnamed Stream**

COMPLETE NOTIFICATION:  
Ctr Strafford Tax Map 11, Lot# 64 & 66

**2004-01158                      SMITH, MARY**  
**MOULTONBOROUGH   Unnamed Stream**

COMPLETE NOTIFICATION:  
Moultonboro Tax Map 21, Lot# 145

**2004-01161                      THE CARPENTER HOME**  
**SWANZEY   Unnamed Stream**

COMPLETE NOTIFICATION:  
Swanzy Tax Map 34, Lot# 20

**2004-01162                      GRAY, JOSEPH**  
**SANBORNTON   Unnamed Stream**

COMPLETE NOTIFICATION:  
Sanbornton Tax Map 10, Lot# 59

**2004-01168                      RIENDEAU, GASTON**  
**COLEBROOK**

COMPLETE NOTIFICATION:  
Colebrook Tax map R6, Lot# 45

**2004-01170                      MEADOWSEND TIMBERLANDS LTD**  
**NEWPORT   Unnamed Stream**

COMPLETE NOTIFICATION:  
Newport Tax Map 68, 60, Lot# 517, 531

**2004-01200                      YANKEE FOREST LLC**  
**ALEXANDRIA   Unnamed Stream**



COMPLETE NOTIFICATION:  
Alexandria Tax Map 401, Lot# 1

**2004-01201                      WEBSTER LAND CORP, C/O WAGNER FOREST MGMT**  
**CAMPTON   Unnamed Stream**

COMPLETE NOTIFICATION:  
Campton Tax Map 17, Lot# 7-6

**2004-01202                      WEBSTER LAND CORP., C/O WAGNER FOREST MGMT**  
**HOLDERNESS   Unnamed Stream**

COMPLETE NOTIFICATION:  
Holderness Tax Map 208, Lot# 1

**2004-01203                      LAKES REGION ACREAGES LLC, VAN HERTEL**  
**STRAFFORD   Unnamed Stream**

COMPLETE NOTIFICATION:  
Strafford Tax Map 5, Lot# 24

**2004-01204                      FORBES, DOUGLAS & PAMELA**  
**DURHAM   Unnamed Stream**

COMPLETE NOTIFICATION:  
North Durham Tax Map 15, Lot# 4D-1 & 4D-2

**2004-01205                      LOWE JR, GORDON ALAN**  
**RANDOLPH   Unnamed Stream**

COMPLETE NOTIFICATION:  
Randolph Tax Map R15, Lot# 1A

**2004-01206                      REINER WOODLANDS CONSERVANCY TRUST, C/O WAGNER FOR**  
**SALISBURY   Unnamed Stream**

COMPLETE NOTIFICATION:  
Salisbury Tax Map 216, Lot# 3

**2004-01207                      BAYROOT LLC, MOXIE TREE FARM**  
**BETHLEHEM   Unnamed Stream**

COMPLETE NOTIFICATION:  
Bethlehem Tax Map 417 & 418, Lot# 7 & 10

**2004-01213 LINN, JOHN**  
**GOSHEN Unnamed Stream**

COMPLETE NOTIFICATION:  
Goshen Tax map 204, Lot# 43

**2004-01223 LOOP, TAYLOR**  
**SALISBURY Unnamed Stream**

COMPLETE NOTIFICATION:  
Salisbury Tax map 208, Lot# 3, 5 & 6

#### EXPEDITED MINIMUM

\*\*\*\*\*

**2004-00571 BILL, KENNETH & JONNALEE**  
**ENFIELD Unnamed Wetland**

#### Requested Action:

Dredge and fill approximately 1000 square feet of forested wetland to install a 18-inch by 30 foot culvert for access to a single family residence on approximately 5.16 acres.

\*\*\*\*\*

#### Conservation Commission/Staff Comments:

The Enfield Conservation Commission signed the Minimum Impact Expedited Application.

#### APPROVE PERMIT:

Dredge and fill approximately 1000 square feet of forested wetland to install a 18-inch by 30 foot culvert for access to a single family residence on approximately 5.16 acres.

#### With Conditions:

1. All work shall be in accordance with plans by Kenneth Bill revised May 14, 2004, as received by the Department on May 16, 2004.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
3. This permit is contingent on approval by the DES Subsurface Systems Bureau.
4. Work shall be done during no flow.
5. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. Culvert inverts shall be laid at existing grade in the lowest portion of the wetland.
8. Proper headwalls shall be constructed within seven days of culvert installation.
9. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

#### With Findings:

1. This is a minimum impact project per Administrative Rule Wt 303.04(f), alteration of less than 3,000 square feet of jurisdictional wetland.

2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

**2004-00594                      SILVER BOW COMMUNICATIONS INC**  
**GOFFSTOWN   Unnamed Wetland**

Requested Action:

Dredge and fill approximately 2,800 square feet of forested wetland to install a 24-inch by 45 foot culvert to access a buildable lot.

\*\*\*\*\*

Conservation Commission/Staff Comments:

Goffstown Conservation Commission Signed the Expedited application

APPROVE PERMIT:

Dredge and fill approximately 2,800 square feet of forested wetland to install a 24-inch by 45 foot culvert to access a buildable lot.

With Conditions:

1. All work shall be in accordance with the following plans by Meridian Land Services, Inc:
  - a.) Wetland Impacts plan (Sheet 1 of 4) dated April 5, 2004, as received by the Department on May 17, 2004;
  - b.) Subdivision Plan (Sheet 1 of 2) dated January 29, 2004, revised April 5, 2004, as received by the Department on May 17, 2004.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
4. The deed which accompanies the sales transaction for each of the lots in this subdivision shall contain condition #3 of this approval.
5. This permit shall not be effective until it has been recorded with the Registry of Deeds Office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau.
6. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
7. Work shall be done during no flow.
8. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
9. Proper headwalls shall be constructed within seven days of culvert installation.
10. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
11. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).

With Findings:

1. This is a minimum impact project per Administrative Rule Wt 303.04(f), alteration of less than 3,000 square feet of jurisdictional wetland.
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

**2004-00784                      NH DEPT OF TRANSPORTATION**  
**BEDFORD   Detention Basin**

Requested Action:

Dredge and fill 2,100 square feet to expand an existing detention basin to accommodate increase in storm water run off associated with development of commercial retail complex on site.

\*\*\*\*\*

Conservation Commission/Staff Comments:

The Bedford Conservation Commission signed the Minimum Expedited Application.

APPROVE PERMIT:

Dredge and fill 2,100 square feet to expand an existing detention basin to accommodate increase in storm water run off associated with development of commercial retail complex on site.

With Conditions:

1. All work shall be in accordance with the Wetland Impact Area Plan by T.F. Moran dated April 19, 2004, as received by the Department on April 30, 2004.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
3. This permit is contingent on approval by the DES Site Specific Program.
4. This permit is contingent on approval by the DES Subsurface Systems Bureau.
5. Work shall be done during low flow.
6. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
7. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
8. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
9. Permit is contingent upon coordination with, and satisfaction of the NH Fish and Game Non-Game and Endangered Wildlife Program with respect to identification, and relocation of populations of the Eastern Hognose Snake species found on site during construction to sites which are suitable to sustain and preserve the species for the long term.
10. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not classified as minor or major.
11. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
12. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.
13. No fill shall be done to achieve septic setback and no dredging shall take place that would contradict the DES Subsurface Systems Bureau rules.
14. No fill shall be done for lot development.
15. No fill shall take place in Atlantic white cedar swamps.

With Findings:

1. This is a minimum impact project per Administrative Rule Wt 303.04(f), alteration of less than 3,000 square feet of swamps or wet meadows.
2. The applicant submitted a "Habitat Assessment Report for Eastern Hognose Snake (*Heterodon platirhinos*)", by West Environmental, Inc., dated April 2004. The Eastern hognose snake is listed as NH "Threatened". The report indicates that the general and specific habitat requirements of the species are located on this site, and that the site could potentially support an isolated population of the species, however no individuals were found on the site.
3. The application that is before the Bureau pertains to the detention pond. Effects to the habitat of the eastern hognose snake relative to the proposed development in the upland is beyond the direct scope of this application review and the authority of RSA 482-A.

4. Project-specific comments on suggested re-design of the project relative to the Eastern hognose snake were received from NH Fish and Game on 6/4/04, after the expiration of the 30 day minimum impact expedited review period.
5. The second species submitted by NH Fish and Game as associated with this project, the Brook Floater, (*Alasmodonta varicosa*), is described by the NH Natural Heritage Inventory on the sheet provided as located in Lee and Durham in the Lamprey River, some 35+/- miles away from the site.

**2004-00845                      TREMBLAY, PAUL**  
**NORTHWOOD   Wet Meadow**

Requested Action:

Dredge and fill 2,000 square feet of wet meadow wetland and install twin 18" x 35' culverts and associated rip rap outlet for a driveway crossing to access elderly housing units 14-26 proposed for the rear portion of lot.

\*\*\*\*\*

Conservation Commission/Staff Comments:

Con. Com. signed the application.

APPROVE PERMIT:

Dredge and fill 2,000 square feet of wet meadow wetland and install twin 18" x 35' culverts and associated rip rap outlet for a driveway crossing to access elderly housing units 14-26 proposed for the rear portion of lot.

With Conditions:

1. All work shall be in accordance with plans by David W. Vincent, LLS dated 4/15/04, as received by the Department on 5/7/04.
2. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not classified as minor or major.
3. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
4. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.
5. No fill shall be done to achieve septic setback and no dredging shall take place that would contradict the DES Subsurface Systems Bureau rules.
6. No fill shall be done for lot development.
7. No fill shall take place in Atlantic white cedar swamps.
8. This permit is contingent on approval by the DES Site Specific Program.
9. This permit is contingent on approval by the DES Subsurface Systems Bureau.
10. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
11. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
12. Proper headwalls shall be constructed within seven days of culvert installation.
13. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.

With Findings:

1. This is a minimum impact project per Administrative Rule Wt 303.04(f), alteration of less than 3,000 square feet of wet meadow wetland.
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. With respect to reports from NH Fish and Game of rare species associated with this project, DES finds the following:
  - a. the project site is located 1+ miles from the site for the Blandings Turtle (*Emydoidea blandingii*);

b. the second species submitted by NH Fish and Game as associated with this project, the Brook Floater, (*Alasmidonta varicosa*), is described by the NH Natural Heritage Inventory on the sheet provided as located in Raymond in the Lamprey River, some 12-15 miles away from the site.

**2004-00904                      BEAUPRE, SYLVIA/WILBUR**  
**WEARE   Unnamed Wetland**

Requested Action:

Dredge and fill approximately 1,570 square feet of emergent and forested wetlands to access a single family residential lot.

\*\*\*\*\*

Conservation Commission/Staff Comments:

The Weare Conservation Commission signed the Minimum Impact Expedited application.

APPROVE PERMIT:

Dredge and fill approximately 1,570 square feet of emergent and forested wetlands to access a single family residential lot.

With Conditions:

1. All work shall be in accordance with the Proposed Dredge and Fill Permit Plan (Sheet 1 of 1) by Dahlberg Land Services, Inc. dated May 1, 2004, as received by the Department on May 14, 2004.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
4. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
5. Work shall be done during low flow.
6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

With Findings:

1. This is a minimum impact project per Administrative Rule Wt 303.04(f), alteration of less than 3,000 square feet of jurisdictional wetland.
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. On June 15, 2004, the Department received a signed letter of consent, dated June 15, 2004, from the abutter of Lot 208, Weare Tax Map 411, granting approval to conduct work in wetland jurisdiction within 20 feet of the abutting property line.

**2004-00908                      ROGERS, GEORGE**  
**PEMBROKE   Unnamed Wetland**

Requested Action:

Dredge and fill approximately 800 square feet of emergent wetland to install an 18-inch by 28 foot culvert for access to a single family residential lot on approximately 5 acres.

\*\*\*\*\*

Conservation Commission/Staff Comments:

The Pembroke Conservation Commission signed this Minimum Impact Expedited Application.

**APPROVE PERMIT:**

Dredge and fill approximately 800 square feet of emergent wetland to install an 18-inch by 28 foot culvert for access to a single family residential lot on approximately 5 acres.

**With Conditions:**

1. All work shall be in accordance with the Topographic & Grading Plan by T.F. Bernier, Inc. dated May 2004, as received by the Department on May 14, 2004.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
4. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
5. Work shall be done during low flow.
6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. Proper headwalls shall be constructed within seven days of culvert installation.
8. Culvert outlets shall be properly rip rapped.
9. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

**With Findings:**

1. This is a minimum impact project per Administrative Rule Wt 303.04(z), impact associated with the access to a single family residential lot and Rule Wt 303.04(f), impact less than 3,000 square feet of jurisdictional wetland.
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

**2004-00910                      MCINTOSH, KEVIN & DANIELLE  
CENTER HARBOR   Unnamed Wetland**

**Requested Action:**

Dredge and fill approximately 1,800 square feet of forested wetland including installation of two (2) 15-inch x 20-foot culverts in the construction of a common driveway for access to two (2) single family residential lots.

\*\*\*\*\*

**Conservation Commission/Staff Comments:**

The Center Harbor Conservation Commission signed the Minimum Impact Expedited Application

**APPROVE PERMIT:**

Dredge and fill approximately 1,800 square feet of forested wetland including installation of two (2) 15-inch x 20-foot culverts in the construction of a common driveway for access to two (2) single family residential lots.

**With Conditions:**

1. All work shall be in accordance with plans by Kathleen Surowiec, d/b/a Turtle Pond Enterprises dated April 23, 2004, as received by the Department on May 14, 2004.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new

application and further permitting by the Bureau.

4. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
5. Work shall be done during low flow.
6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. Culvert inlets shall be laid at existing grade.
8. Proper headwalls shall be constructed within seven days of culvert installation.
9. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

With Findings:

1. This is a minimum impact project per Administrative Rule Wt 303.04(f), alteration of less than 3,000 square feet of jurisdictional wetland.
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

**2004-00988                      RG MACKINNON HOLDINGS LLC**  
**CENTER CONWAY   Unnamed Wetland**

Requested Action:

Impact 2,644 square feet within palustrine scrub-shrub wetlands and an intermittent stream to replace an existing 24" x 200' culvert with a new 24" x 225' culvert at a location adjacent to the original.

\*\*\*\*\*

APPROVE PERMIT:

Impact 2,644 square feet within palustrine scrub-shrub wetlands and an intermittent stream to replace an existing 24" x 200' culvert with a new 24" x 225' culvert at a location adjacent to the original.

With Conditions:

1. All work shall be in accordance with revised plans by Briggs Land Surveying dated 3/18/04, as received by the Department on 5/19/04.
2. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
3. This permit is contingent on approval by the DES Site Specific Program.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
6. Work shall be done during low flow.
7. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
8. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
9. Proper headwalls shall be constructed within seven days of culvert installation.
10. Culvert outlets shall be properly rip rapped.
11. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.



12. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
13. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
14. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).

With Findings:

1. This project is classified as a Minimum Impact Project per NH Administrative Rule Wt 303.04(f) & (n), as impacts are less than 3,000 square feet in the wetlands and less than 50 linear feet within the intermittent stream.
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

**2004-01037                      AICHINGER REVOC TRUST, BARBARA**  
**GILFORD   Lake Winnepesaukee**

Requested Action:

Install a 14 ft x 30 ft seasonal canopy over an existing seasonal boatlift on a property having approximately 305 linear feet of shoreline frontage on Lake Winnepesaukee.

\*\*\*\*\*

Conservation Commission/Staff Comments:

ConComm signed.

APPROVE PERMIT:

Install a 14 ft x 30 ft seasonal canopy over an existing seasonal boatlift on a property having approximately 305 linear feet of shoreline frontage on Lake Winnepesaukee.

With Conditions:

1. All work shall be in accordance with plans by Watermark Marine dated 05.03.04, as received by the Department on May 24, 2004.
2. This permit shall not be effective until it has been recorded with the Registry of Deeds Office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to construction.
3. Canopies shall be of seasonal construction type with a flexible fabric cover which shall be removed for the non-boating season.
4. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.
5. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
6. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not classified as minor or major.
8. These shall be the only structures on this water frontage and all portions of the new structure shall be at least 20 ft from the abutting property lines or the imaginary extension of those lines into the water.
9. Seasonal structures shall be removed for the non-boating season.
10. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This is a minimum impact project per Administrative Rule Wt 303.04(o), deemed minimum impact by the department.
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

**2004-01065                      WITHAM, THOMAS & SUSAN**  
**MEREDITH   Lake Winnepesaukee**

Requested Action:

Repair/replace "in-kind" an existing 6 ft x 31 ft piling pier, 4 ft wide water access steps leading from the pier, and two tie-off pilings on a property having 170 linear feet of shoreline frontage on Lake Winnepesaukee.

\*\*\*\*\*

Conservation Commission/Staff Comments:

ConComm sigend.

APPROVE PERMIT:

Repair/replace "in-kind" an existing 6 ft x 31 ft piling pier, 4 ft wide water access steps leading from the pier, and two tie-off pilings on a property having 170 linear feet of shoreline frontage on Lake Winnepesaukee.

With Conditions:

1. All work shall be in accordance with plans dated May 10, 2004 by Folsom Design Group, as received by the Department on May 26, 2004.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to construction.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
4. This permit does not allow for maintenance dredging.
5. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
6. Work shall be carried out in a time and manner such that there will be no disturbance to migratory waterfowl breeding areas or fish spawning areas.
7. Repairs to these structures may be conducted, as necessary, throughout the duration of this permit provided that the permittee notifies the Wetlands Bureau and Conservation Commission, in writing, of the proposed start and completion date prior to performing any repair.
8. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if it later determines that any "existing structures" were not previously permitted or grandfathered in their current configuration.
9. Repairs shall maintain existing size, location and configuration.
10. All construction related material and debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
11. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This is a minimum impact project per Administrative Rule Wt 303.04(v), replacement "in-kind" of existing docking structures.
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

## GOLD DREDGE

\*\*\*\*\*

**2004-01257                      EUBER, ROBERT**  
**(ALL TOWNS)   Unnamed Stream**

Conservation Commission/Staff Comments:  
bath ConCom

## TRAILS NOTIFICATION

\*\*\*\*\*

**2004-01149                      RANDOLPH, TOWN OF**  
**RANDOLPH   Unnamed Stream**

COMPLETE NOTIFICATION:  
Randolph Tax Map 9,10 & 12, Lot# 1, 1 & 1

**2004-01150                      WOLFEBORO TOWN OF, ROBERT HOUSEMAN, PLANNER**  
**WOLFEBORO   Unnamed Wetland**

COMPLETE NOTIFICATION:  
Wolfeboro Tax Map 164, Lot# 32

**2004-01197                      GILFORD, TOWN OF**  
**GILFORD   Unnamed Stream**

COMPLETE NOTIFICATION:  
Gilford Tax Map 232, Lot# 2

## LAKES-SEASONAL DOCK NOTIF

\*\*\*\*\*

**2004-01241                      HAUGHNEY REVOC TRUST, MARGUERITE**  
**ENFIELD   Crystal Lake**

COMPLETE NOTIFICATION:  
Enfield Tax Map 48, Lot# 1 Crystal Lake

**2004-01242                      BARRY, JAMES & MARY QUINTON**  
**CANAAN   Goose Pond**

COMPLETE NOTIFICATION:

Canaan Tax Map 1-GN, Lot# 42 Goose Pond

**2004-01243                      FULLER, SCOTT**  
**MOULTONBOROUGH   Lake Winnepesaukee**

COMPLETE NOTIFICATION:

Moultonboro Tax Map 3, Lot# 63 Lake Winnepesaukee

**2004-01244                      COLLIGAN, JOHN & LACEY**  
**MOULTONBOROUGH   Squam Lake**

COMPLETE NOTIFICATION:

Moultonboro Tax Map 49, Lot# 1B Squam Lake

ROADWAY MAINTENANCE NOTIF

\*\*\*\*\*

**2004-01240                      NH DEPT OF TRANSPORTATION, DISTRICT ONE**  
**LISBON   Unnamed Wetland**

**2004-01253                      NH DEPT OF TRANSPORTATION**  
**AUBURN   Unnamed Stream**

**2004-01254                      NH DEPT OF TRANSPORTATION**  
**WINDSOR   Unnamed Stream**

**2004-01255                      NEWPORT DPW**  
**NEWPORT   Unnamed Stream**

**2004-01256                      NEWPORT DPW**  
**NEWPORT   Unnamed Stream**

**PERMIT BY NOTIFICATION**

\*\*\*\*\*

**2004-01022                      MORSE, JEFFREY**  
**FREEDOM   Ossipee River**

Requested Action:

DES cannot permit the project due to an existing dock on the frontage.

\*\*\*\*\*

PBN DISQUALIFIED:

DES cannot permit the project due to an existing dock on the frontage.

**2004-01061                      KIEDAISCH FAMILY TRUST, GARY KIEDAISCH**  
**GILFORD   Lake Winnepesaukee**

Requested Action:

PBN#11, Repair existing breakwater and replace existing 4ft x 24ft crank-up dock in-kind.

\*\*\*\*\*

Conservation Commission/Staff Comments:

The Gilford Conservation Commission did not sign the PBN form.

PBN IS COMPLETE:

PBN#11, Repair existing breakwater and replace existing 4ft x 24ft crank-up dock in-kind.

**2004-01063                      PARISI, JOHN**  
**LACONIA   Paugus Bay**

Requested Action:

DES cannot permit the proposed project with the PBN process.

\*\*\*\*\*

PBN DISQUALIFIED:

DES cannot permit the proposed project with the PBN process.

**2004-01175                      GAGE, WILLIAM & IRENE**  
**LACONIA   Unnamed Wetland**

Requested Action:

PBN#1, Dredge and fill approximately 995 square feet of forested wetland and install a 15-inch culvert to access a single family residential lot on approximately 1.25 acres

\*\*\*\*\*

Conservation Commission/Staff Comments:

The Laconia Conservation Commission signed the PBN form.

PBN IS COMPLETE:

PBN#1, Dredge and fill approximately 995 square feet of forested wetland and install a 15-inch culvert to access a single family residential lot on approximately 1.25 acres

**2004-01224 PERCOCO, ROBERT**  
**PETERBOROUGH Unnamed Wetland**

Requested Action:

PBN#1, Dredge and fill approximately 292 square feet of forested wetland and install a 15-inch by 30 feet to access a single family residential lot on approximately 3.07 acres.

\*\*\*\*\*

Conservation Commission/Staff Comments:

The Peterborough Conservation Commission signed the PBN form.

PBN IS COMPLETE:

PBN#1, Dredge and fill approximately 292 square feet of forested wetland and install a 15-inch by 30 feet to access a single family residential lot on approximately 3.07 acres.

**2004-01232 BALLIN, LAWRENCE**  
**NEW LONDON Unnamed Wetland**

Requested Action:

PBN#1, Installation of a culvert to access 2 (two) single family residential lots does not qualify for the PBN process under Wt. 303.04(z).

\*\*\*\*\*

PBN DISQUALIFIED:

PBN#1, Installation of a culvert to access 2 (two) single family residential lots does not qualify for the PBN process under Wt. 303.04(z).

**2004-01234 DES - WATER RESOURCES COUNCIL**  
**WOODSTOCK Mirror Lake Dam**

Requested Action:

PBN#3, Maintenance dredging approximately 332 square feet of a nontidal spillway.

\*\*\*\*\*

Conservation Commission/Staff Comments:

The Woodstock Conservation Commission signed the PBN form.

PBN IS COMPLETE:

PBN#3, Maintenance dredging approximately 332 square feet of a nontidal spillway.

**2004-01238 ROBERTS, JOSEPH**  
**MEREDITH Lake Winnepesaukee**

Requested Action:

PBN#12, Repair, in-kind, existing retaining wall.

\*\*\*\*\*

Conservation Commission/Staff Comments:

The Meredith Conservation Commission signed the PBN form.

PBN IS COMPLETE:

PBN#12, Repair, in-kind, existing retaining wall.

**2004-01239                      KENNEDY LIVING TRUST, RICHARD KENNEDY**  
**MEREDITH   Lake Winnepesaukee**

Requested Action:

PBN#11, Replace 2 (two) tie pilings in-kind.

\*\*\*\*\*

Conservation Commission/Staff Comments:

The Meredith Conservation Commission signed the PBN form.

PBN IS COMPLETE:

PBN#11, Replace 2 (two) tie pilings in-kind.

**2004-01280                      LAPIERRE JR., GEORGE & MAUREEN**  
**MOULTONBOROUGH   Unnamed Wetland**

Requested Action:

PBN#1, DES cannot permit subdivisions with the PBN process.

\*\*\*\*\*

PBN DISQUALIFIED:

PBN#1, DES cannot permit subdivisions with the PBN process.

**2004-01281                      JEDDREY, JOE**  
**WOLFEBORO   Unnamed Wetland**

Requested Action:

PBN#1, Dredge and fill approximately 612 square feet of forested wetland to install a 12-inch by 20 foot culvert for access to a single family residential lot on approximately 2.54 acres.

\*\*\*\*\*

Conservation Commission/Staff Comments:

The Wolfeboro Conservation Commission signed the PBN form.

PBN IS COMPLETE:

PBN#1, Dredge and fill approximately 612 square feet of forested wetland to install a 12-inch by 20 foot culvert for access to a single family residential lot on approximately 2.54 acres.